

Curing Agent W

Description

CURING AGENT W is a solvent free, liquid polyisocyanate, emulsifiable in water. Dispersion polymers can be efficiently cross-linked with this product.

Appearance: yellowish liquid

Solid content (%): 100

Application

An increased resistance against heat, water, plasticizers and many organic solvents can be achieved with addition of 0,3 - 1% of CURING AGENT W to water compounds. This is very useful for many applications, like industrial coatings, adhesives, textile and leather finishing, etc.

Technical Specifications

Method of analysis	MU	Standard
3. Brookfield Viscosity 25°C	cps	2,800 - 4,000
18. NCO Contents	%	19 - 21 ⁽¹⁾

⁽¹⁾

Handling

CURING AGENT W must be added just before final application. Pot life of compound is 6 hours after addition.

Storing

Polyisocyanates react with water, including atmospheric moisture, with formation of carbon dioxide, which can cause too high pressures in closed containers, and form solid insoluble polyureas, which can block pipes, valves, etc. CURING AGENT W must be stored in well closed original plastic drums or aluminum/glass bottles, at