





UNI EN ISO 9001:2015 UNI EN ISO 14001:2015 UNI ISO 45001:2018

Color Paste WI White 6

(Provisional)

Description

COLOR PASTE WI WHITE 6 is a waterborne dispersion of titanium dioxide (Pigment White 6). Titanium dioxide concentration is 60-70%.

Storing

Product must be stored at temperatures between $+5^{\circ}$ C and $+35^{\circ}$ C. Keep the containers well closed.

Use within 12 months from production date (unopened and in the original packaging).

Application

COLOR PASTE WI WHITE 6 is a very efficient white pigment, which is aimed at colouring water borne products, as acrylic, vinyl or polyurethane dispersions. It is recommended for the production of white packaging tapes. It provides a high whiteness.

Technical Specifications

Method of analysis	MU	Standard
1. Total Solids 3. Brookfield Viscosity	% mPa.s	69±2 1300 - 3500
25°C 8. pH	рН	8 - 9.5
15. Appearance 48. Colour Yield	%	white liquid 95 - 105
Solvents		water

Handling

We suggest to add 2-6%, depending on the final opacity desired. Stir well before taking any quantity from the original drum. Filter the coloured adhesive before coating.

Packaging

The product is supplied in plastic drums (25 kg); IBC containers (1200 kg).

Mod. DT0104E - Color Paste WI White 6 Creation date: 28 May 2024 Revision: 3 Revision date: 20 Jan 2025

Above information is reliable, but does not constitute warranty.

1/1